



1650-SECTPH in Fabric 136-72



1650-SECTPH in Fabric 136-72

FLEXSTEEL®

© Flexsteel Industries, Inc. | Last Updated 06/24

58PH
57PH
59P
23
19

72

FEATURES

Flexsteel Spring Unit

- DualFlex

Back Construction

- Attached

Seat Construction

- Attached

Seat Cushion(s)

- High-Density (HC)

- Standard
- Optional

PRODUCT DIMENSIONS

OVERALL

Height Width Depth

SEAT

Height Width Depth

Arm Height Open Depth Wall Clearance

RAF Power Recliner with Power Headrest
-58PH

41" 32" 41" 20" 23" 21" 26" 67" 5"

LAF Power Recliner with Power Headrest
-57PH

41" 32" 41" 20" 23" 21" 26" 67" 5"

Straight Console
-72

41" 13" 41"

Armless Power Recliner
-59P

41" 23" 41" 20" 23" 21" 25" 67" 5"

Full Wedge
-23

41" 45" 45" 20" 43" 24"

Armless Chair
-19

41" 23" 41" 20" 23" 21"

Stocked Colors



Flint
136-04
Fabric



Cocoa
136-72
Fabric

Printed samples may vary from actual swatches. Please refer to swatches for actual color.

NOTES

The power control allows you to independently adjust the recline and headrest.

A separate home button returns the headrest and footrest to their original positions with one touch.

A USB port is included on the power control for powering electronics.

Zero draw technology only uses power when the USB port is in use.

Power allows you to smoothly recline to any position.

A single USB port is included on each power button control on styles with arms.




**Power Recline
& Headrest**

1650 Nirvana | Components & Configurations


Sectionals

Components


LAF = Left-Arm-Facing
 RAF = Right-Arm-Facing




-23
Full Wedge




-19
Armless Chair




-57PH
LAF Power Recliner
with Power Headrest



-58PH
RAF Power Recliner
with Power Headrest







-59P
Armless Power Recliner



-72
Straight Console

Sample Configurations



Scale 1/4"=1'

Dimensions are in inches and are subject to variance.
 © Flexsteel Industries, Inc. 11/22
 FLX-CP-FR-CC-1650

FLEXSTEEL®