

3900-SECT (57, 19, 23, 59, 58) in leather 824-02

Catalina | 3900

19 57 58 59	23	FEATURES
		Flexsteel Spring Unit
•		DualFlex
	•	Sinuous Wire
•	•	Back Construction Attached
		Seat Construction
•	•	Attached
•	•	Seat Cushion(s) High-Density (HC)

Standa	rd
--------------------------	----

o Optional

PRODUCT DIMENSIONS	OVERALL			SEAT					
	Height	Width	Depth	Height	Width	Depth	Arm Height	Open Depth	Wall Clearance
Armless Chair -19	40"	26"	39"	19"	26"	21"			
Full Wedge -23	40"	64"	41"	19"	38"	23"			
LAF Recliner -57	40"	30"	39"	19"	25"	21"	24"	67"	5"
RAF Recliner -58	40"	30"	39"	19"	25"	21"	24"	67"	5"
Armless Recliner -59	40"	26"	39"	19"	26"	21"		67"	5"
Straight Console -72	40"	9"	38"	24"	9"	23"			

NOTES

A clean, transitional design

Padded, soft sloped track arms

Choose from six modular components to build a sectional that fits your space

The straight console contains two cupholders for drinks

Adjust from an upright to a fully reclined position by opening the handle in the arm

Sustainably sourced wood frame delivers exceptional durability

Contoured, high-density foam seat cushions provide lasting, everyday comfort and support

Upholstered in your choice of more than 50 durable leathers

Handcrafted in North America





Interlocking Brackets


Interlocking brackets securely attach one sectional component to another to prevent them from separating even when reclining.

Components


LAF = Left-Arm-Facing RAF = Right-Arm-Facing









-57 LAF Recliner -57M LAF Power Recliner -57H LAF Power Recliner with Power Headrest



RAF Recliner -58M RAF Power Recliner -58H RAF Power Recliner with Power Headrest





Armless Recliner
-59M
Armless Power Recliner
-59H
Armless Power Recliner
with Power Headrest




-72 Straight Console

Sample Configurations





121"-



Scale 1/4"=1'

Dimensions are in inches and are subject to variance. © Flexsteel Industries, Inc. 7/22 FLX-CP-FR-CC-3900