

5641-SECT in Fabric 407-80



5641-SECT in Fabric 147-02

FLEXSTEEL®

Dempsey | 5641

# Dempsey | 5641

FEATURES
Flexsteel Spring Unit
C-Flex
C-Flex
Back Construction
Attached
Seat Cushion(s)
Luxury (LC)
Plush (PC)
Tailoring
Arm Covers
7 66 7 6.6
Wood Finish
Florentine (F)
All other wood finish options are available.

b

o Optional

PRODUCT DIMENSIONS	OVERALL			SEAT			
	Height	Width	Depth	Height	Width	Depth	Arm Height
Armless Chair -19	35"	24"	37"	21"	24"	22"	
LAF Loveseat -27	35"	52"	37"	21"	46"	22"	25"
RAF Loveseat -28	35"	52"	37"	21"	46"	22"	25"
LAF Corner Sofa -33	35"	86"	37"	21"	66"	22"	25"
RAF Corner Sofa -34	35"	86"	37"	21"	66"	22"	25"

#### **Accent Pillows Included:**

Corner Sofa with 22P-91 (2) & 22P-91 (1) Loveseat with 22P-91 (1)

### **NOTES**

Five sectional components available to create a custom configuration that fits your space, big or small

Transitional style with clean track arms and a welt-trim detail

Tight back design is robustly filled for plush comfort

Includes accent pillows in your choice of fabric to match your personal style

High resiliency seat cushions are engineered to maintain their shape over time and are removable and reversible

The patented Blue Steel Spring™ seat system provides unmatched support and lasting comfort

Square tapered legs are available in three finish options

Durable wood frame for lasting performance

Upholstered in your choice of fabric, including those with performance and sustainability characteristics

Handcrafted in North America





## **Connecting Clips**


A connecting clip is attached to one sectional piece to allow the frame of a second piece to slide neatly down into the clip to secure the two pieces together.


## Components


LAF = Left-Arm-Facing RAF = Right-Arm-Facing














# Sample Configurations







Scale 1/4"=1"

Dimensions are in inches and are subject to variance. © Flexsteel Industries, Inc. - Rev. 6/22 FLX-FR5641-CC-PP

FLEXSTEEL®